



RUDRAKSHA CERAMIC PVT. LTD.


📍 8/A National Highway, Lalpar,
Morbi - 363642 (Gujarat) India.

☎ 1800 123 009 999 (Toll Free)

✉ info@rudrakshaceramic.com

🌐 www.rudrakshaceramic.com

Let's Connect :



600 x 1200 mm
800 x 800 mm
600 x 600 mm





About Us,

"Rudraksha & Soch " a pioneer of Tiles & Sanitary ware which is always a step ahead in terms of customer satisfaction and providing superior quality of products. Rudraksha Ceramic was incorporated in the year 1991 by Mr. Raj Kumar Khandelwal. We as a production unit holds a capacity of producing 40,000 sqm per day, the company has 5 manufacturing units in India. We have admirable range of products that includes Ceramic, Vitrified, Double Charged, Digital Tiles and Sanitaryware.

We set an example by adapting new production techniques with the intention of improvement of product, whether it is design, technology or quality. Our aim is to deliver quality products to our customers and for this we pride ourselves in educating our staff with the latest product knowledge and industry news so that they can sequentially provide the best possible service to our customers.

The company has its depots covering almost every nook & corner of the country. The company holds around 32 depots currently across India, We also have 1 depot in Nepal with a multi-layer distribution network of 1500 dealers and 3000 sub-dealers PAN India.

We believe in understanding the basics of Natural Stone and these understanding provide a comprehensive look at everything from the manufacturing process to the installation and care of the finished product. Looking towards creating a beautiful future with a definitive expression of contemporary design suitable for modern living spaces, delivering quality products is our habit.









Surface Layer
(3-4 mm)

Vitrified Body

DOUBLE CHARGE / PROCESS

Double Charge Vitrified Tiles passes through a press that prints double layer of pigment making a 3-4 mm layer of design on top.

600x1200mm | 800x800mm | 600x600mm



**DOUBLE
CHARGE**
&
NANO
TECHNOLOGY
VITRIFIED
TILES



Zero Maintenance



Durable Strength



Eco Friendly



Abrasion Resistance



Low Water Absorption



Full HD

MOON SERIES




MOON WHITE



MOON BEIGE



AMO SERIES



AMO WHITE



AMO CREMA



AMO CANVAS



AMO CHARCOAL




MATRIX SERIES





MATRIX WHITE



MATRIX BEIGE



600x1200mm



MATRIX ASH



MATRIX BROWN


MARBLE SERIES



MARBLE WHITE




MARBLE CREMA




MARBLE ARMANI




MARBLE SERIES



MARBLE BROWN



MARBLE RUBY RED



MARBLE JAZZ



MARBLE SLATE



BRACIA SERIES



BRACIA WHITE



BRACIA CREMA




BRECIA BEIGE



BRECIA BROWN



FIRE SERIES



FROSTINE WHITE



FIRE WHITE



FIRE BLACK

TROPIC SERIES




TROPIC WHITE



800x800mm

MATRIX SERIES



MATRIX WHITE



MATRIX CREMA



MATRIX YELLOW



MATRIX ALMOND



MATRIX SERIES




MATRIX JAZZ



MATRIX ASH




MATRIX RUBY RED




MATRIX BLACK




AMAZON SERIES



AMAZON WHITE




AMAZON CREMA



AMAZON JAZZ




AMAZON CANVAS




AMAZON CHARCOAL




AMAZON BROWN




AMAZON GREEN



AMAZON RED



MADURAI SERIES



MADURAI WHITE



MADURAI PINK



MADURAI BEIGE



MADURAI GALAXY



600x600mm

RDX SERIES



RDX WHITE




RDX PEACH




RDX PINK




RDX CREMA




PULATI SERIES




PULATI WHITE




PULATI WONDER




PULATI BLACK




PULATI GOLD



PULATI BROWN



TROPICANA SERIES - I



TROPICANA WHITE



TROPICANA PEARL



TROPICANA CORAL



TROPICANA ARMANI



TROPICANA CREMA



TROPICANA GOLD



600x600mm



TROPICANA BEIGE



TROPICANA SERIES - II




TROPICANA ALMOND




TROPICANA COPPER




TROPICANA CHERRY




TROPICANA GREEN




TROPICANA ASH




TROPICANA BLACK




TROPICANA BLUE



TROPICANA CHOCO



TROPICANA BROWN




TROPICANA COFFEE



TROPICANA JAZZ

600x600mm



GOLD LOOK




BIANCO



WONDER




LEAF



SQUARO



FLOWER




WAVE



GREEN WOOD




MAGIC



WHITE




CROSSA




WOOD GRESS



TEMPLE




IVORY



CROWN



FLORIDA




ONYX



TERRACOTTA



JAISALMER



BLACK


DOUBLE CHARGE TECHNICAL SPECIFICATION

SR. NO.	CHARACTERISTICS	INTERNATIONAL STD. ISO 13006/EN 176 GROUP BAL	OUR VALUE	METHOD OF TESTING
1	Deviation In Length	± 0.60%	± 0.10%	ISO 10545 - 2
2	Deviation In Thickness	± 5.00%	± 2.00%	ISO 10545 - 2
3	Straightness Of Sides	± 0.50%	± 0.10%	ISO 10545 - 2
4	Rectangularity	± 0.60%	± 0.20%	ISO 10545 - 2
5	Surface Flatness	± 0.50%	± 0.20%	ISO 10545 - 2
6	Water Absorption	< 0.05%	< 0.05%	ISO 10545 - 2
7	Mohs Hardness	> 6	> 6	EN 101
8	Flexural Strength	> 35 N/mm ² %	> 45 N/mm ²	ISO 10545 - 4
9	Abrasion Resistance	> 175 mm ² %	> 144 mm ²	ISO 10545 - 6
10	Skid Resistance	> 0.4 %	> 0.4 %	ISO 10545 - 17
11	Breaking Strength	1113 N %	>2500 N	ISO 10545 - 4
12	Density (g/cc)	> 2	2.3	ISO 10545 - 3
13	Frost Resistance	Frost proof	Frost proof	ISO 10545 - 12
14	Chemical Resistance	No damage	No damage	ISO 10545 - 13
15	Thermal Shock Resistance	No damage	No damage	ISO 10545 - 9
16	Colour Resistance	No damage	No damage	DIN 51094
17	Thermal Expansion	< 9 x 10 ⁻⁶	< 6 x 10 ⁻⁶	ISO 10545 - 8
18	Stain Resistance	Resistance	Resistance	DIN 51094
19	Moisture Expansion	Nil	Nil	DIN 51094
20	Glossiness	-	-	Glossmeter

Double Charge Packing Details

Size	Normal Thickness	No. of Tiles/Box	Coverage Area
600x1200mm	9.8 mm (approx.)	2 pcs.	1.44 Sq.Mtr.(15.05 Sq.Ft)
800x800mm	9.5 mm (approx.)	3 pcs.	1.92 Sq.Mtr.(20.67 Sq.Ft)
600x600mm	8.8 mm (approx.)	4 pcs.	1.44 Sq.Mtr.(15.05 Sq.Ft)

APPLICATIONS



NANO TECHNOLOGY TECHNICAL SPECIFICATION

SR. NO.	CHARACTERISTICS	INTERNATIONAL STD. ISO 13006/EN 176 GROUP BAL	OUR VALUE	METHOD OF TESTING
1.	Deviation In Length	± 0.6%	± 0.1%	EN 98
2.	Deviation In Thickness	± 0.5%	± 0.1%	EN 98
3.	Straightness of Sides	± 0.5%	± 0.1%	EN 98
4.	Rectangularity	± 0.6%	± 0.2%	EN 98
5.	Surface Flatness	± 0.5%	± 0.2%	EN 98
6.	Water Absorption*	< 0.5%	< 0.05%	EN 99
7.	Mohs Hardness*	> 6	> 8	EN 101
8.	Flexural Straightness*	> 27 N/mm ²	> 47 N/mm ²	EN 100
9.	Abrasion Resistance	< 204 mm ²	< 144 mm ²	EN 102
10.	Skid Resistance (Friction Coefficient)	> 0.4	> 0.6	ASTM C-1028
11.	Breaking Strength*	1113 N	2830 N	ASTM C-648
12.	Density (g/cc)	> 2	2.4	DIN 51082
13.	Frost Resistance	Frost Proof	Frost Proof	EN 202
14.	Chemical Resistance	No Damage	No Damage	EN 106
15.	Thermal Shock Resistance	No Damage	No Damage	EN 104
16.	Colour Resistance	No Damage	No Damage	DIN 51094
17.	Thermal Expansion	< 9 x 10-6	< 6 x 10-6	EN 103
18.	Stain Resistance	Resistance	Resistance	ISO 10545-14
19.	Moisture Expansion	Nil	Nil	ISO 10545-10
20.	Glossiness	-	Min 65% - 70% reflection	Glossmeter

Nano Technology Packing Details

Size	Normal Thickness	No. of Tiles/Box	Coverage Area
600x600mm	8.2 mm (approx.)	4 pcs.	1.44 Sq.Mtr.(15.05 Sq.Ft)

Note : Colours shown are as accurate as the limitations of the printing process will allow. Prospective customers are advised to inspect a sample of the tile before ordering. Every effort has been made to ensure the accuracy of the information given. However, the company reserves the right to change the specifications without prior notice.

TILE LAYING INSTRUCTIONS

1. Plaster the surface of the floor to be tiled with smooth finish and complete the plastering and curing at least two weeks prior to tiling.
2. Before fixing tiles, lay them out in desired pattern and make sure that they give acceptable blend of colour. Please note that certain amount of shade variation may occur in the tiles due to extreme firing temperature. Size variation up to ±0.75% and warpage upto ± 0.5% of the dimensions are allowed by all international standards for floor tiles. THE COMPANY WILL NOT ACCEPT ANY LIABILITY ONCE TILES ARE FIXED.
3. Before fixing the tiles on the floor, we strongly recommend to randomly select tiles from different boxes and lay them in the desired pattern to make sure that the pattern so formed gives you an acceptable blend of color. shade & size variation are inherent characteristic in manufacturing of ceramic tiles.
4. Kindly look for the arrow on the back of the tiles and follow the laying pattern as shown in bellow diagram



Please note that the company does not accept any liability in case of problem arising out of non-adherence to the above fixing instructions.

DISPLAY CENTRE

589/kha. 009 C D Sarpot Ganj,
Near Rambharose Ground,
Nahar Road, Telibag,
Lucknow (U.P)

Shop No. 2, First Floor,
Jeevandeep Building,
Sevoke Road, Salugara,
Siliguri (West Bengal) - 734008.

Hazipur, Singhpur, Darabganj,
Near Polytechnic School,
Lucknow Road,
Faizabad (U.P) - 224001

Plot No. 70, Khasra No. 316,
Semra, Gaudhi, Ward -
Fazzullaganj, Lucknow (U.P)

Lucknow Road Jamayatpur,
Opp. Maruti Suzuki Concept Car,
Sitapur (U.P.)

Shubh Tower, Pachpedi Naka,
Ring Road No.-1,
Raipur (Chhattisgarh) - 492001

73 ICC, Transport Nagar,
Near Gayatri Mandir,
Korba (Chhattisgarh) - 495677

Opposite Old Bus Stand,
Baikunthpur, Koriya
(Chhattisgarh) - 495677

Opposite Fun Cinemas, GE Road,
Bhilai (Chhattisgarh) - 490022

Opposite FCI Godown, Turang,
Angul (Odisha) - 759122

Ballam, Deogarh (Odisha)
- 768108

Main Road, Muniguda,
Rayagada (Odisha) - 765020

Barkote Road, Deogarh
(Odisha) - 768108

CORPORATE OFFICE

633/1011, Matiyari Chauraha,
Chinhat, Faizabad Road,
Lucknow (U.P) - 227105

SHOWROOM

Opposite Anand Motors,
Faizabad Road, Chinhat,
Lucknow (U.P) – 226010

Opposite Ashok Leyland,
Tedhi Pulia, Sitapur Road,
Lucknow (U.P) – 226022

DISPLAY CENTRE

Vedvyas, Rourkela
(Odisha)

Tarwara Road, Siwan
(Bihar) - 841226

Teteliya, Near Somnath
Mandir, N.H.-37,
Guwahati (Assam)

Dharamgarh, Kalahandi
(Odisha) - 766015

Village Misharpura,
Jalandhar Road,
Batala (Punjab)

Nagar Road, Panamala Opp.
Jade Residency, Near Yamaha
Showroom, Pune
(Maharashtra) - 412216

Tanda Road, Akbarpur,
Ambedkar Nagar
(U.P)- 224122

Sonepur Road,
Sahaspur, Sambalpur
(Odisha) - 768113

Awas Vikas Colony,
Circular Road, Gonda (U.P)


Near Medica Hospital,
Bariatu Road, Ranchi
(Jharkhand) - 834009

Opposite Kotwali,
Salempur,
Deoria (U.P.)

Padampur Road,
Paikmal, Bargarh
(Odisha) - 768039



Our Network



AGRA

13T/3/14/3, Agarsen Puram,
Opp. Manglam Hospital,
Firozabad Road, By Pass Road,
Agra (U.P) – 282006.

ALWAR

200 Feet Road,
Near Naman Hotel, Alwar
(Rajasthan) – 301001.

BAREILLY

67-80 Gram Bhindaulya,
Shahjahanpur Road, Bareilly (U.P)

BHARATPUR

Jaghina Mod, Mathura Road,
Bharatpur (Rajasthan) – 321001.

BHUBANESWAR

DLF Cyber City,
Room No. DCB-127, First Floor, Patia,
Bhubaneswar (Odisha) - 751024

HYDERABAD

Plot No. 109/B, SY No. 172,
Sri Venkateshwara Co. Op. le.,
Bollaram, Hyderabad (Telangana)

SAMBALPUR

NH - 6, Ainthapali, Sambalpur (Odisha)

KOTA

Godown No.1, 502-A, Road No.6,
IPIA, Anantpura, Kota (Rajasthan)

LUDHIANA

Shop No. 4, Bikram Market,
VPO Daad, Pakhowal Road,
Ludhiana (Punjab) – 141116.

MORBI

Survey No. 633/P-1, Jetpar Road,
Pipli Road, At. Rangpar, Morbi
(Gujarat) - 363641.

NAGPUR

Plot No. 332, E.I.A.S. Scheme
Chikhali Layout, Kalamna Road,
Nagpur (Maharashtra) - 440035

GHAZIABAD

329-330, Pandav Nagar,
Near Asia Columbia Hospital,
Ghaziabad (Uttar Pradesh) - 201002

INDORE

Survey No. 20/1,
Patwari Halka No. 17, Lasudia Mori,
A.B. Road, Indore (M.P.) – 452010.

NEPAL

Anchalpur Vard, Number 9,
Siddharth Nagar (Rupandehi) – 32900

CHENNAI

Survey No. 72/1A, 72/1B, 73/4C,
Sennerikuppam Village,
On Poonamallee Bypass Road,
Chennai (Tamil Nadu) - 600056

DEHRADUN

571, Lakhi Bagh,
Near Saharanpur Chowk,
Dehradun (Uttarakhand) – 248001.

FAIZABAD

Hazipur, Singhpur,
Darabganj Near Polytechnic School,
Lucknow Road, Faizabad
(U.P) - 224001.

GUWAHATI

Village Pamohi, Under
Mouza Ramcharani,
N.H.-37, Guwahati (Assam) - 781035

GOPALGANJ

Sona Complex, Ward No. 13,
Banjari Road, Gopalganj
(Bihar) – 841428.

KOLKATA

Chamrail, Kona Highway,
Opp. Radha Swami Mandir,
Kolkata (West Bengal) - 711114

PATNA

Saristabad Bypass Road,
Near TVS Showroom,
Anishabad, Patna (Bihar) - 800002

PUNE

Gate No.- 399,
Shiv Pratap Warehousing Corp,
Lonikand, Taluka Haveli,
Pune (Maharashtra) – 412216

RAJSAMAND

NH – 8, Badarda, Rajsamand,
(Rajasthan) – 313324.

RAIPUR

Khasra No. 423/5,
Behind Fruit Market, Lalpur, Tikrapara,
Raipur (Chhattisgarh) – 492001.

RANCHI

Golden Campware House,
HD Road, Kokar, Ranchi
(Jharkhand) – 834001.

ROURKELA

Brahmani Tarang, Vedvyas,
Rourkela (Odisha)

SILIGURI

Salugara,
Near Jeevandeep Building,
Siliguri (West Bengal) – 734007.

*Map is for illustrative purpose only